ELSEVIER

Brain Research 805 (1998) 270–271

BRAIN RESEARCH

Author Index

Alreja, M., see Liu, W. (805) 220
Arai, R., see Ikemoto, K. (805) 255
Attwell, P.J.E., Singh Kent, N., Jane, D.E., Croucher, M.J. and Bradford, H.F.
Anticonvulsant and glutamate release-inhibiting properties of the highly potent metabotropic glutamate receptor agonist (2*S*,2′*R*,3′*R*)-2-(2′,3′-dicarboxycyclopropyl)glycine (DCG-IV) (805) 138

Bankiewicz, K.S., see Eberling, J.L. (805) 259
Bates, G.P., see File, S.E. (805) 234
Bausenwein, B., see Distler, P.G. (805) 263
Beczkowska, I., see Kest, B. (805) 131
Behbehani, M.M., see Hall, C.W. (805) 69
Bittencourt, J.C. and Elias, C.F.
Melanin-concentrating hormone and neuropeptide EI projections from the lateral hypothalamic area and zona incerta to the medial septal nucleus and spinal cord: a study using multiple neuronal tracers (805) 1
Bobinski, M., De Leon, M.J., Tarnawski, M., Wegiel, J., Bobinski, M., Reisberg, B., Miller, D.C. and Wisniewski, H.M.
Neuronal and volume loss in CA1 of the hippocampal formation uniquely predicts duration and severity of Alzheimer disease (805) 267
Bobinski, M., see Bobinski, M. (805) 267
Boeckh, J., see Distler, P.G. (805) 263
Bradford, H.F., see Attwell, P.J.E. (805) 138
Bringas, J., see Eberling, J.L. (805) 259
Brodkin, E.S., Carlezon Jr., W.A., Haile, C.N., Kosten, T.A., Heninger, G.R. and Nestler, E.J.
Genetic analysis of behavioral, neuroendocrine, and biochemical parameters in inbred rodents: initial studies in Lewis and Fischer 344 rats and in A/J and C57BL/6J mice (805) 55
Brundin, P., see Karlsson, J. (805) 155

Carlezon Jr., W.A., see Brodkin, E.S. (805) 55
Carr, K.D., see Park, T.H. (805) 169
Castañeda, E., see Hagan, M.M. (805) 20
Chang, S.-T., Lieu, F.-K., Wang, S.-D. and Liu, J.-C.
Neuronal supernumerary and dendritic sprouting of the nucleus ambiguus after chronic alteration of peripheral targets in cats (805) 144
Chevassus-au-Louis, N. and Cooper, H.M.
Is there a geniculohypothalamic tract in primates? A comparative immunohistochemical study in the circadian system of strepsirhine and haplorhine species (805) 213
Cooper, H.M., see Chevassus-au-Louis, N. (805) 213
Croucher, M.J., see Attwell, P.J.E. (805) 138

De Leon, M.J., see Bobinski, M. (805) 267
DeSousa, N.J., see Fletcher, P.J. (805) 29
Dinh, T.T., see Ritter, S. (805) 41
Distler, P.G., Bausenwein, B. and Boeckh, J.
Localization of odor-induced neuronal activity in the antennal lobes of the blowfly *Calliphora vicina*: a [^{3}H] 2-deoxyglucose labeling study (805) 263

Eberling, J.L., Jagust, W.J., Taylor, S., Bringas, J., Pivirotto, P., VanBrocklin, H.F. and Bankiewicz, K.S.
A novel MPTP primate model of Parkinson's disease: neurochemical and clinical changes (805) 259
Elias, C.F., see Bittencourt, J.C. (805) 1
Emgård, M., see Karlsson, J. (805) 155

File, S.E., Mahal, A., Mangiarini, L. and Bates, G.P.
Striking changes in anxiety in Huntington's disease transgenic mice (805) 234
Fleming, S.M., see Hagan, M.M. (805) 20
Fletcher, P.J., Korth, K.M., Sabijan, M.S. and DeSousa, N.J.
Injections of D-amphetamine into the ventral pallidum increase locomotor activity and responding for conditioned reward: a comparison with injections into the nucleus accumbens (805) 29
Franklin, S.O., see Kest, B. (805) 131
Friedberg, M.W., see Zhai, J. (805) 116
Funk, G.D., see Selvaratnam, S.R. (805) 104

Galloway, J., see Hagan, M.M. (805) 20

Hafidi, A.
Peripherin-like immunoreactivity in type II spiral ganglion cell body and projections (805) 181
Hagan, M.M., Castañeda, E., Sumaya, I.C., Fleming, S.M., Galloway, J. and Moss, D.E.
The effect of hypothalamic peptide YY on hippocampal acetylcholine release in vivo: implications for limbic function in binge-eating behavior (805) 20
Haile, C.N., see Brodkin, E.S. (805) 55
Hall, C.W. and Behbehani, M.M.
Synaptic effects of nitric oxide on enkephalinergic, GABAergic, and glutamatergic networks of the rat periaqueductal gray (805) 69
Hayashida, Y., see Kameda, Y. (805) 191
Heninger, G.R., see Brodkin, E.S. (805) 55
Hong, Y., see Kenigsberg, R.L. (805) 123

Ikemoto, K., Nagatsu, I., Nishimura, A., Nishi, K. and Arai, R.
Do all of human midbrain tyrosine hydroxylase neurons synthesize dopamine? (805) 255
Inturrisi, C.E., see Kest, B. (805) 131

Jagust, W.J., see Eberling, J.L. (805) 259
Jane, D.E., see Attwell, P.J.E. (805) 138

Kameda, Y., Miura, M. and Hayashida, Y.
Different effects of prolonged isocapnic hypoxia on the carotid body and the glomus cells in the wall of the common carotid artery of the chicken (805) 191
Karlsson, J., Emgård, M., Rosenblad, C. and Brundin, P.
Treatment with the spin-trap agent α-phenyl-*N*-*tert*-butyl nitrone does not enhance the survival of embryonic or adult dopamine neurons (805) 155
Kenigsberg, R.L., Hong, Y. and Théorêt, Y.
Cholinergic cell expression in the developing rat medial septal nucleus in vitro is differentially controlled by $GABA_A$ and $GABA_B$ receptors (805) 123
Kest, B., Beczkowska, I., Franklin, S.O., Lee, C.E., Mogil, J.S. and Inturrisi, C.E.
Differences in delta opioid receptor antinociception, binding, and mRNA levels between BALB/c and CXBK mice (805) 131
Kimura, F., see Mitsushima, D. (805) 207
Korth, K.M., see Fletcher, P.J. (805) 29
Kosten, T.A., see Brodkin, E.S. (805) 55
Kumar, A., see Liu, W. (805) 220

Lee, C.E., see Kest, B. (805) 131
Li, C., see Zhai, J. (805) 116
Lieu, F.-K., see Chang, S.-T. (805) 144
Liu, J.-C., see Chang, S.-T. (805) 144
Liu, W., Kumar, A. and Alreja, M.
Excitatory effects of muscarine on septohippocampal neurons: involvement of M_3 receptors (805) 220
Llewellyn-Smith, I., see Ritter, S. (805) 41

ELSEVIER

Brain Research 805 (1998) 270–271

BRAIN RESEARCH

Author Index

Alreja, M., see Liu, W. (805) 220
Arai, R., see Ikemoto, K. (805) 255
Attwell, P.J.E., Singh Kent, N., Jane, D.E., Croucher, M.J. and Bradford, H.F.
Anticonvulsant and glutamate release-inhibiting properties of the highly potent metabotropic glutamate receptor agonist (2*S*,2′*R*,3′*R*)-2-(2′,3′-dicarboxycyclopropyl)glycine (DCG-IV) (805) 138

Bankiewicz, K.S., see Eberling, J.L. (805) 259
Bates, G.P., see File, S.E. (805) 234
Bausenwein, B., see Distler, P.G. (805) 263
Beczkowska, I., see Kest, B. (805) 131
Behbehani, M.M., see Hall, C.W. (805) 69
Bittencourt, J.C. and Elias, C.F.
Melanin-concentrating hormone and neuropeptide EI projections from the lateral hypothalamic area and zona incerta to the medial septal nucleus and spinal cord: a study using multiple neuronal tracers (805) 1
Bobinski, M., De Leon, M.J., Tarnawski, M., Wegiel, J., Bobinski, M., Reisberg, B., Miller, D.C. and Wisniewski, H.M.
Neuronal and volume loss in CA1 of the hippocampal formation uniquely predicts duration and severity of Alzheimer disease (805) 267
Bobinski, M., see Bobinski, M. (805) 267
Boeckh, J., see Distler, P.G. (805) 263
Bradford, H.F., see Attwell, P.J.E. (805) 138
Bringas, J., see Eberling, J.L. (805) 259
Brodkin, E.S., Carlezon Jr., W.A., Haile, C.N., Kosten, T.A., Heninger, G.R. and Nestler, E.J.
Genetic analysis of behavioral, neuroendocrine, and biochemical parameters in inbred rodents: initial studies in Lewis and Fischer 344 rats and in A/J and C57BL/6J mice (805) 55
Brundin, P., see Karlsson, J. (805) 155

Carlezon Jr., W.A., see Brodkin, E.S. (805) 55
Carr, K.D., see Park, T.H. (805) 169
Castañeda, E., see Hagan, M.M. (805) 20
Chang, S.-T., Lieu, F.-K., Wang, S.-D. and Liu, J.-C.
Neuronal supernumerary and dendritic sprouting of the nucleus ambiguus after chronic alteration of peripheral targets in cats (805) 144
Chevassus-au-Louis, N. and Cooper, H.M.
Is there a geniculohypothalamic tract in primates? A comparative immunohistochemical study in the circadian system of strepsirhine and haplorhine species (805) 213
Cooper, H.M., see Chevassus-au-Louis, N. (805) 213
Croucher, M.J., see Attwell, P.J.E. (805) 138

De Leon, M.J., see Bobinski, M. (805) 267
DeSousa, N.J., see Fletcher, P.J. (805) 29
Dinh, T.T., see Ritter, S. (805) 41
Distler, P.G., Bausenwein, B. and Boeckh, J.
Localization of odor-induced neuronal activity in the antennal lobes of the blowfly *Calliphora vicina*: a [^{3}H] 2-deoxyglucose labeling study (805) 263

Eberling, J.L., Jagust, W.J., Taylor, S., Bringas, J., Pivirotto, P., VanBrocklin, H.F. and Bankiewicz, K.S.
A novel MPTP primate model of Parkinson's disease: neurochemical and clinical changes (805) 259
Elias, C.F., see Bittencourt, J.C. (805) 1
Emgård, M., see Karlsson, J. (805) 155

File, S.E., Mahal, A., Mangiarini, L. and Bates, G.P.
Striking changes in anxiety in Huntington's disease transgenic mice (805) 234
Fleming, S.M., see Hagan, M.M. (805) 20
Fletcher, P.J., Korth, K.M., Sabijan, M.S. and DeSousa, N.J.
Injections of D-amphetamine into the ventral pallidum increase locomotor activity and responding for conditioned reward: a comparison with injections into the nucleus accumbens (805) 29
Franklin, S.O., see Kest, B. (805) 131
Friedberg, M.W., see Zhai, J. (805) 116
Funk, G.D., see Selvaratnam, S.R. (805) 104

Galloway, J., see Hagan, M.M. (805) 20

Hafidi, A.
Peripherin-like immunoreactivity in type II spiral ganglion cell body and projections (805) 181
Hagan, M.M., Castañeda, E., Sumaya, I.C., Fleming, S.M., Galloway, J. and Moss, D.E.
The effect of hypothalamic peptide YY on hippocampal acetylcholine release in vivo: implications for limbic function in binge-eating behavior (805) 20
Haile, C.N., see Brodkin, E.S. (805) 55
Hall, C.W. and Behbehani, M.M.
Synaptic effects of nitric oxide on enkephalinergic, GABAergic, and glutamatergic networks of the rat periaqueductal gray (805) 69
Hayashida, Y., see Kameda, Y. (805) 191
Heninger, G.R., see Brodkin, E.S. (805) 55
Hong, Y., see Kenigsberg, R.L. (805) 123

Ikemoto, K., Nagatsu, I., Nishimura, A., Nishi, K. and Arai, R.
Do all of human midbrain tyrosine hydroxylase neurons synthesize dopamine? (805) 255
Inturrisi, C.E., see Kest, B. (805) 131

Jagust, W.J., see Eberling, J.L. (805) 259
Jane, D.E., see Attwell, P.J.E. (805) 138

Kameda, Y., Miura, M. and Hayashida, Y.
Different effects of prolonged isocapnic hypoxia on the carotid body and the glomus cells in the wall of the common carotid artery of the chicken (805) 191
Karlsson, J., Emgård, M., Rosenblad, C. and Brundin, P.
Treatment with the spin-trap agent α-phenyl-*N*-*tert*-butyl nitrone does not enhance the survival of embryonic or adult dopamine neurons (805) 155
Kenigsberg, R.L., Hong, Y. and Théorêt, Y.
Cholinergic cell expression in the developing rat medial septal nucleus in vitro is differentially controlled by $GABA_A$ and $GABA_B$ receptors (805) 123
Kest, B., Beczkowska, I., Franklin, S.O., Lee, C.E., Mogil, J.S. and Inturrisi, C.E.
Differences in delta opioid receptor antinociception, binding, and mRNA levels between BALB/c and CXBK mice (805) 131
Kimura, F., see Mitsushima, D. (805) 207
Korth, K.M., see Fletcher, P.J. (805) 29
Kosten, T.A., see Brodkin, E.S. (805) 55
Kumar, A., see Liu, W. (805) 220

Lee, C.E., see Kest, B. (805) 131
Li, C., see Zhai, J. (805) 116
Lieu, F.-K., see Chang, S.-T. (805) 144
Liu, J.-C., see Chang, S.-T. (805) 144
Liu, W., Kumar, A. and Alreja, M.
Excitatory effects of muscarine on septohippocampal neurons: involvement of M_3 receptors (805) 220
Llewellyn-Smith, I., see Ritter, S. (805) 41

Mahal, A., see File, S.E. (805) 234
Mangiarini, L., see File, S.E. (805) 234
Mehta, A.K. and Ticku, M.K.
Chronic ethanol administration alters the modulatory effect of 5α-pregnan-3α-ol-20-one on the binding characteristics of various radioligands of $GABA_A$ receptors (805) 88
Miller, D.C., see Bobinski, M. (805) 267
Mitsushima, D., Yamanoi, C. and Kimura, F.
Restriction of environmental space attenuates locomotor activity and hippocampal acetylcholine release in male rats (805) 207
Miura, M., see Kameda, Y. (805) 191
Mogil, J.S., see Kest, B. (805) 131
Moss, D.E., see Hagan, M.M. (805) 20
Mouihate, A. and Pittman, Q.J.
Lipopolysaccharide-induced fever is dissociated from apoptotic cell death in the rat brain (805) 95

Nagatsu, I., see Ikemoto, K. (805) 255
Nestler, E.J., see Brodkin, E.S. (805) 55
Nishi, K., see Ikemoto, K. (805) 255
Nishimura, A., see Ikemoto, K. (805) 255

Park, T.H. and Carr, K.D.
Neuroanatomical patterns of Fos-like immunoreactivity induced by a palatable meal and meal-paired environment in saline- and naltrexone-treated rats (805) 169
Parkis, M.A., see Selvaratnam, S.R. (805) 104
Patel, T., see Zhou, F.C. (805) 241
Pittman, Q.J., see Mouihate, A. (805) 95
Pivirotto, P., see Eberling, J.L. (805) 259

Reisberg, B., see Bobinski, M. (805) 267
Ritter, S., Llewellyn-Smith, I. and Dinh, T.T.
Subgroups of hindbrain catecholamine neurons are selectively activated by 2-deoxy-D-glucose induced metabolic challenge (805) 41
Rosenblad, C., see Karlsson, J. (805) 155

Sabijan, M.S., see Fletcher, P.J. (805) 29
Segu, L., see Zhou, F.C. (805) 241
Selvaratnam, S.R., Parkis, M.A. and Funk, G.D.
Developmental modulation of mouse hypoglossal nerve inspiratory output in vitro by noradrenergic receptor agonists (805) 104
Singh Kent, N., see Attwell, P.J.E. (805) 138
Stewart, R.R., see Zhai, J. (805) 116
Sumaya, I.C., see Hagan, M.M. (805) 20

Tao-Cheng, J.-H., see Zhou, F.C. (805) 241
Tarnawski, M., see Bobinski, M. (805) 267
Taylor, S., see Eberling, J.L. (805) 259
Théorêt, Y., see Kenigsberg, R.L. (805) 123
Ticku, M.K., see Mehta, A.K. (805) 88

VanBrocklin, H.F., see Eberling, J.L. (805) 259

Wang, S.-D., see Chang, S.-T. (805) 144
Wang, Y., see Zhou, F.C. (805) 241
Wegiel, J., see Bobinski, M. (805) 267
Wisniewski, H.M., see Bobinski, M. (805) 267

Yamanoi, C., see Mitsushima, D. (805) 207

Zhai, J., Stewart, R.R., Friedberg, M.W. and Li, C.
Phosphorylation of the $GABA_A$ receptor γ2L subunit in rat sensory neurons may not be necessary for ethanol sensitivity (805) 116
Zhou, F.C., Tao-Cheng, J.-H., Segu, L., Patel, T. and Wang, Y.
Serotonin transporters are located on the axons beyond the synaptic junctions: anatomical and functional evidence (805) 241